



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/563,494	01/04/2006	Steinar Bjornstad	OSL-034	8273
3897 7590 11/12/2009 SCHNECK & SCHNECK P.O. BOX 2-E SAN JOSE, CA 95109-0005				
EXAMINER				
CURS, NATHAN M				
ART UNIT		PAPER NUMBER		
2613				
MAIL DATE		DELIVERY MODE		
11/12/2009		PAPER		

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

### Office Action Summary

**Application No.**

10/563,494

**Applicant(s)**

BJORNSTAD, STEINAR

**Examiner**

NATHAN M. CURS

**Art Unit**

2613

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 16 July 2009.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-31 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1,2,4-8,10,12,14,18,19,21,22,25-27 and 30 is/are rejected.
- 7) ☒ Claim(s) 3,9,11,13,15-17,20,23,24,28,29 and 31 is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 16 July 2009 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some \* c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO/SB/08)  
Paper No(s)/Mail Date 9/09.
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date \_\_\_\_\_.
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: \_\_\_\_\_.

## DETAILED ACTION

### *Claim Rejections - 35 USC § 112*

1. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

2. Claims 12 and 14 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention.

Claim 12 recites that the network arrangement is adapted for more than two states of polarization for signaling traffic. The specification only enables signaling based on two states of polarization, with two-state polarization beam splitters, etc.

Regarding claim 14, the specification does not teach how to use the change of states of polarization for the purpose of separating different QoS. In other words, there is no disclosure that establishes or explains how a change over time of two already distinct states of polarization could be the causal agent of a separation event that separates QoS not already separated. Therefore, a person of ordinary skill reading the specification would not know how to make and/or use the invention.

***Claim Rejections - 35 USC § 103***

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims \*\*\* are rejected under 35 U.S.C. 103(a) as being unpatentable over Kodialam et al. (US Patent Application Publication No. 2002/0018264), referred herein as Kodialam, in view of Van Der Tol (US Patent No. 5,900,957), referred herein as Van Der Tol, and further in view of Handelman (US Patent Application Publication No. 2003/0048506).

Regarding claims 1 and 18, Kodialam teaches a communication network arrangement for handling packets within optical or combined optical/electrical packet switched networks comprising, at least an ingress node adapted to multiplex optical packets (paragraph 28 teaches an ingress node and paragraph 25 teaches a WDM network wherein signals of different wavelengths are multiplexed together) and an egress node adapted to demultiplex received optical packets (paragraph 28 teaches an ingress node and paragraph 25 teaches a WDM network wherein a group of wavelengths multiplexed on the same fiber are demultiplexed), characterized in that the ingress node has means for transmitting packets of a first QoS class, and transmitting packets of a second QoS (paragraph 48 teaches QoS as a label in the transmitted packets based on their priority). However, Kodialam does not teach transmitting

different QoS signals on different states of polarization. It is known in the art to transmit signals with different polarizations for determining label means. For example, Van Der Tol teaches a system where a transmitted packet's payload and header are multiplexed based on orthogonal polarizations and where the received packet's payload and header are demultiplexed accordingly (fig. 1 and column 6, lines 1-13 teach the transmitted packet's address signal having one polarization orthogonal to the payload, and where the orthogonal signal is split by a polarization beam splitter and interpreted). Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention was made to modify Kodialam, including packets having different QoS information in their headers, with the payload and header polarization multiplexing and demultiplexing means and technique for quick reading of header information as taught by Van Der Tol using polarization as a basis for determining address or header information in the optical domain (column 3, lines 12-20 teach this advantage).

Also, the combination of Kodialam and Van Der Tol discloses using different polarizations for a packet headers and payloads, but does not disclose that different packets will use different states of polarization from each other. Handelman discloses using orthogonal polarizations to merge two polarized packets into a single wavelength channel (claims 20 and 21). One of ordinary skill in the art at the time of the invention could have used orthogonal polarization to merge two polarized packets of the combination into a single wavelength channel, and the results would have been predictable; namely, each wavelength channel would have double bandwidth, where two packet payload travel orthogonally on the same wavelength, with their respective

headers also traveling orthogonally on the same wavelength. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to use orthogonal polarization to merge two polarized packets of the combination into a single wavelength channel, for the predictable of each wavelength channel having double bandwidth.

Regarding claims 2 and 19, Kodialam and Van Der Tol and Handelman teach the limitations of claims 1 and 18, characterized in that the ingress node while transmitting said packets of said second type in said second state of polarization, has means for simultaneously transmitting a header in said first state of polarization (Van Der Tol: fig. 1 and column 6, lines 44-67 teach the data signal and the address signal with orthogonal polarizations being simultaneously transmitted out).

Regarding claims 4 and 21, Kodialam and Van Der Tol and Handelman teach the limitations of claims 1 and 18, characterized in that the second and first state of polarization are substantially orthogonal states (Van Der Tol: fig.1 and column 6, lines 1-13 and Handelman: claims 20 and 21 as applicable in the combination).

Regarding claims 5 and 22, Kodialam and Van Der Tol and Handelman teach the limitations of claims 1 and 18, and teaches SOP alignment means for the received packet (Van Der Tol: column 6, lines 44-50 teach a polarization beam splitter oriented so that the polarization components are split correctly) and polarization means for demultiplexing the received packets, and polarization means for multiplexing packets for forwarding (Van Der Tol: fig. 1 and Handelman: claims 20 and 21 as applicable in the combination).

Regarding claim 6, Kodialam and Van Der Tol and Handelman teach the limitations of claim 1, and at least one core node adapted to split the received packets by polarisation and to separate packets according to the packets state of polarization (Van Der Tol: column 6, lines 42-52 teach a polarization beam splitter for separating the signal into its polarization components) and said at least one core node has a first optical switching matrix (Van Der Tol: column 6, lines 52-55 teach an optical switching matrix, a 2x2 switch as part of the means involved for the header/payload split processing) and a second electronic switching matrix (Van Der Tol: column 6, lines 52-55 teach an electronic address and controlling of the matrix).

Regarding claim 7, Kodialam and Van Der Tol and Handelman teach the limitations of claim 6, characterized in that the first optical switching matrix is a wavelength router adapted to separate payload of packets of a first class, payload of a second class and header information of the second class (Van Der Tol: column 6, lines 52-67 teach a system wherein both payload and header signals are sorted through the switch based on header information).

Regarding claim 8, Kodialam and Van Der Tol and Handelman teach the limitations of claim 1, wherein the network arrangement further comprises at least one core node, said core node having at least one polarisation beam splitter (PBSI) and at least one optical demultiplexer (Van Der Tol: column 5, lines 54-65 teach an input port on the node which accepts signals from a packet transmitter that has an address signal A and a data signal I multiplexed together and demultiplexes them based on their polarization with a polarization beam splitter).

Regarding claim 25, Kodialam and Van Der Tol and Handelman teach the limitations of claim 20, characterized in that at the at least one core node in the optical packet switched network is executing time divisional multiplexing of received packets (Kodialam: paragraph 48 teaches sending the requests in time slots).

Regarding claim 26, Kodialam and Van Der Tol and Handelman teach the limitations of claim 22, characterized in that at least one core node in the optical packet switched network is SOP-aligning received packets (Van Der Tol: column 6, lines 44-50 teach a polarization beam splitter oriented so that the polarization components are split correctly).

Regarding claim 27, Kodialam and Van Der Tol and Handelman teach the limitations of claim 22, characterized in that when a first packet of a first type of class arrives at a switch the following steps are carried out: a controlling device registering that the first packet is present at the input (Van Der Tol: column 6, lines 52-55 teach a control unit for registering the packet), then delaying the first packet in a FDL in a first predetermined period of time (Van Der Tol: column 6, lines 57-62 teach a delay line for delaying the signal), and reserving an output where the first packet is directed to be transmitted (Van Der Tol: column 6, lines 63-67 teach determining an output port for transmitting the packet).

5. Claims 10 and 30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kodialam, Van Der Tol and Handelman, as applied to claims above, in view of



XiaoJun Fang (US Patent Application Publication No. 2003/0026250), referred herein as Fang.

Regarding claims 10 and 30, Kodialam and Van Der Tol and Handelsman teach the limitations of claims 1 and 18. However, they do not expressly teach a communication network arrangement characterized in that the first QoS class represents GS- packets and the second QoS class represents BE-packets. It is well-known in the art to use both best effort service and guaranteed service. For example, Fang teaches a system that utilizes both best effort service and guaranteed service (paragraph 7 teaches a system with IP traffic for best-effort service and traffic for guaranteed service). Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention was made to modify the combination to use best effort and guaranteed service for the QoS of the combination, for benefit of assuring important traffic has guaranteed delivery, with non-critical traffic delivered with a best effort.

***Allowable Subject Matter***

6. Claims 3, 9, 11, 13, 15-17, 20, 23, 24, 28, 29, 31 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

***Response to Arguments***

7. Applicant's arguments filed 16 July 2009 have been fully considered but they are not persuasive.

Regarding claim 14 rejection under 35 USC § 112-1st paragraph, Applicant's argument does not address the fact that there is no disclosure that establishes or explains how a change over time of two already distinct states of polarization could be the causal agent of a separation event that separates QoS not already separated.

Regarding claims 1 and 18 and dependents, Applicant argues in the Remarks page 13 that the combination does not disclose indication of a packet's QoS using polarization state. This argument is not persuasive because the claims only broadly recite first and second QoS packets using first and second states of polarization, without establishing any exclusivity of these assignments such that different states of polarization act in and of themselves as distinct labels or identifiers.

Also, on page 14-16 of the Remarks, Applicant argues that Applicant's claims are directed to using a polarization state for complete packets according to their QoS class, as opposed to the polarization header/packet-body polarization split of the combination. This argument is not persuasive, because it contradicts Applicant's statement regarding dependent claims 2 and 19 which acknowledges Applicant's header/packet separation using different polarization states. Such header/packet separation would not be possible for claims 2 and 19 if parent claims 1 and 18 actually required header and packet to be in the same polarization state.

***Conclusion***

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to NATHAN M. CURS whose telephone number is (571)272-3028. The examiner can normally be reached on 9:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ken Vanderpuye can be reached on (571) 272-3078. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/NATHAN M CURS/

Primary Examiner, Art Unit 2613